


CONTENTS

PRODUCTS	Page
ACCESSORIES FOR SANDWICH & PIZZA MAKE BENCHES.....	14-K
AMBIENT DISPLAY CABINETS - CURVED GLASS.....	12-K
AMBIENT DISPLAY CABINETS - SQUARE GLASS.....	5-K
CORNER INFILL MODULES.....	8-K
DROP-IN DISPLAY CABINETS - REFRIGERATED AND HEATED.....	9-K
EURO REFRIGERATED DISPLAY CABINETS -CURVED GLASS.....	2-K
FRONT COUNTER MODULES.....	8-K
HEATED DISPLAY CABINETS - CURVED GLASS.....	11-K
HEATED DISPLAY CABINETS - SQUARE GLASS.....	4-K
REFRIGERATED DISPLAY CABINETS - CURVED GLASS.....	10-K
REFRIGERATED DISPLAY CABINETS - SQUARE GLASS.....	3-K
REFRIGERATED PIZZA PREPARATION BENCHES.....	13-K
REFRIGERATED SANDWICH PREPARATION BENCHES - SQUARE GLASS.....	7-K
SEAFOOD UNIT.....	6-K


REFRIGERATED DISPLAY CABINETS - CURVED GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
EURO REFRIGERATED DISPLAY CABINET  <ul style="list-style-type: none"> ❑ Refrigerated display cabinet designed for display of cakes, sandwiches and other ready-to-serve cold foods ❑ Contemporary profile curved refrigerated display in 304 grade stainless steel finish ❑ Rated to operate at ambient temperatures up to 32°C ❑ Adjustable electronic thermostat with digital display, for temperatures between 2°C & 5°C for products requiring different holding temperatures ❑ Double glazed curved heated front glass to eliminate condensation ❑ Double glazed side glass with additional 8mm decorative side glass to exterior ❑ Self contained refrigeration system ❑ No drainage connection required ❑ Sliding double glazed rear doors with reflective glass for improved display ❑ All interior surfaces are stainless steel or glass ❑ Stainless steel rear serving shelf ❑ Supplied on castors for ease of cleaning (for plinth mounting details please contact your representative) ❑ 4 fixed glass display shelves, each illuminated with high impact lighting. Top 3 shelves mounted to front of cabinet ❑ Refrigeration units ventilated from lower rear side ❑ Hot units available to order 	KT.ERD.9	900 x 1000 x 1465 <i>(Packed in crate 1040 x 1140 x 1650mm 279kg)</i>	0.61 Kw 10A	\$7,620
	KT.ERD.12	1200 x 1000 x 1465 <i>(Packed in crate 1350 x 1140 x 1650mm 328kg)</i>	0.69 Kw 10A	\$8,140
	KT.ERD.15	1500 x 1000 x 1465 <i>(Packed in crate 1650 x 1140 x 1650mm 372kg)</i>	0.71 Kw 10A	\$9,840


REFRIGERATED DISPLAY CABINETS - SQUARE GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
SQUARE GLASS REFRIGERATED DISPLAY CABINET  <ul style="list-style-type: none"> Refrigerated display cabinet designed for display of cakes, sandwiches and other ready-to-serve cold foods Uniquely designed gentle air circulation above each shelf. Cold air is ducted throughout the cabinet and falls gently onto the product - reducing potential for products to dry out Double glazed "Low-E" straight glass front & sides with warm blown air on the front and sides for exceptional display and minimal condensation. Top section of display is made from 12mm glass Self closing double-glazed sliding rear doors with one way mirror finish (KT.SQRCD.9 equipped with double glazed rear swinging doors) Rated to operate at ambient temperatures up to 32°C Adjustable electronic thermostat with digital display, for temperatures between 2°C & 5°C for products requiring different holding temperatures Side and front glass is guaranteed to remain free of condensation at up to 70% relative humidity Self contained refrigeration system using environmentally friendly R-404a refrigerant No drainage connection required Steel frame for extra strength Fully insulated and finished in satin 304 grade stainless steel Supplied on (78mm) castors (2 lockable to rear) for ease of cleaning (for plinth mounting details please contact your representative) 3 or 4 fixed display shelves, each illuminated with high impact lighting. Shelves constructed of stainless steel & covered with glass to prevent scratching (add 4T to product code for 4 shelf models) Refrigeration unit ventilates from lower rear side 		3 FIXED SHELVES		
	KT.SQRCD.9	900 x 730 x 1358 (Packed in crate 1050 x 890 x 1590mm 239kg)	0.90 Kw 10A	\$5,980
	KT.SQRCD.12	1200 x 730 x 1358 (Packed in crate 1350 x 890 x 1590mm 316kg)	0.90 Kw 10A	\$6,670
	KT.SQRCD.15	1500 x 730 x 1358 (Packed in crate 1650 x 890 x 1590mm 344kg)	0.90 Kw 10A	\$7,910
	KT.SQRCD.18	1800 x 730 x 1358 (Packed in crate 1950 x 890 x 1590mm 421kg)	1.40 Kw 10A	\$9,260
	KT.SQRCD.20	2000 x 730 x 1358 (Packed in crate 2150 x 890 x 1590mm 460kg)	1.40 Kw 10A	\$10,510
	4 FIXED SHELVES (available to order - 6 to 8 week lead time)			
	KT.SQRCD.9.4T	900 x 730 x 1358 (Packed in crate 1050 x 890 x 1590mm 239kg)	0.90 Kw 10A	\$6,550
	KT.SQRCD.12.4T	1200 x 730 x 1358 (Packed in crate 1350 x 890 x 1590mm 316kg)	0.90 Kw 10A	\$7,400
	KT.SQRCD.15.4T	1500 x 730 x 1358 (Packed in crate 1650 x 890 x 1590mm 344kg)	0.90 Kw 10A	\$9,570
	KT.SQRCD.18.4T	1800 x 730 x 1358 (Packed in crate 1950 x 890 x 1590mm 421kg)	1.40 Kw 10A	\$10,110
	KT.SQRCD.20.4T	2000 x 730 x 1358 (Packed in crate 2150 x 890 x 1590mm 460kg)	1.40 Kw 10A	\$11,430


HEATED DISPLAY CABINETS - SQUARE GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
SQUARE GLASS HEATED DISPLAY CABINET				
 <ul style="list-style-type: none"> □ Heated cabinet designed for the display of pies, sausage rolls & similar pre-heated products □ Adjustable thermostat between 30°C & 90°C with temperature display □ Fan forced heat circulation with humidity via concealed water well □ Single glazed straight glass front & sides. Top section of display is made from 12mm glass □ Sliding double glazed rear doors □ Steel frame for extra strength □ All exterior panels are fully insulated and finished in satin stainless steel □ All interior surfaces are stainless steel □ Stainless steel top rear serving shelf □ Supplied on (78mm) castors for ease of cleaning (for plinth mounting details please contact your representative) □ 3 adjustable and 1 fixed display shelves, each illuminated with high impact lighting. Shelves constructed of stainless steel wire □ Finished in 304 grade stainless steel 	KT.SQHCD.9	900 x 729 x 1358 <i>(Packed in crate 1050 x 890 x 1550mm 200kg)</i>	1.70 Kw 10A	\$5,222
	KT.SQHCD.12	1200 x 729 x 1358 <i>(Packed in crate 1350 x 890 x 1550mm 228kg)</i>	1.73 Kw 10A	\$5,485
	KT.SQHCD.15	1500 x 729 x 1358 <i>(Packed in crate 1650 x 890 x 1550mm 260kg)</i>	1.75 Kw 10A	\$6,464

AMBIENT DISPLAY CABINETS - SQUARE GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
SQUARE GLASS AMBIENT DISPLAY CABINET  <ul style="list-style-type: none"> □ Cabinet designed for the display of products at ambient temperatures □ Double glazed straight glass front & sides. Top section of display is made from 12mm glass □ Self closing double glazed sliding rear doors (KT.NRSQCD.9 equipped with double glazed rear swinging doors) □ Steel frame for extra strength □ All exterior panels are fully insulated and finished in satin stainless steel □ All interior surfaces are stainless steel □ Stainless steel top rear serving shelf □ Supplied on (78mm) castors (2 lockable at rear) for ease of cleaning (for plinth mounting details please contact your representative) □ 3 fixed display shelves, each illuminated with high impact lighting. □ Finished in 304 grade stainless steel 				
	KT.NRSQCD.9	900 x 729 x 1358 (Packed in crate 1050 x 900 x 1550mm 203kg)	0.50 Kw 10A	\$4,270
	KT.NRSQCD.12	1200 x 729 x 1358 (Packed in crate 1350 x 900 x 1550mm 236kg)	0.50 Kw 10A	\$4,510
	KT.NRSQCD.15	1500 x 729 x 1358 (Packed in crate 1650 x 900 x 1550mm 266kg)	0.50 Kw 10A	\$5,730
	KT.NRSQCD.18*	1800 x 729 x 1358 (Packed in crate 1950 x 890 x 1590mm 401kg)	0.50 Kw 10A	\$6,590
	KT.NRSQCD.20*	2000 x 729 x 1358 (Packed in crate 2150 x 890 x 1590mm 440kg)	0.50 Kw 10A	\$7,560
* Available to order; non stock item				

SEAFOOD DISPLAY UNIT

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
<p>SEAFOOD DISPLAY UNIT</p>  <ul style="list-style-type: none"> Refrigerated display cabinet designed specifically for storage of wet fish & seafood on ice Refrigerated deep sloping well for ice, with large plug & drain for easy cleaning. Plumbing required for drain Top-mounted cross fin coil for even refrigeration within the cabinet Supplied with stainless steel wire mid shelf for display of other products Rear removable service top Double glazed "low-E" straight glass front & sides with warm blown air on the front and sides for exceptional display and minimal condensation. Top section of display made from 12mm glass Self closing double-glazed sliding rear doors with one way mirror finish Rated to operate at ambient temperatures up to 32°C Adjustable electronic thermostat with digital display, for temperatures between -1.5°C & 1°C Self contained refrigeration system using environmentally friendly R-404a refrigerant Steel frame for extra strength Fully insulated and finished in satin 304 grade stainless steel Supplied on (78mm) castors (2 lockable to rear) for ease of cleaning (for plinth mounting details please contact your representative) Refrigeration unit ventilates from lower rear side 	KT.SQRCD.12.SF	1200 x 820 x 1358 (Packed in crate 1050 x 900 x 1500mm 200kg)	2.1 Kw 10A	\$7,320
	KT.SQRCD.15.SF	1500 x 820 x 1358 (Packed in crate 1350 x 900 x 1500mm 228kg)	2.1 Kw 10A	\$8,730
	KT.SQRCD.18.SF*	1800 x 820 x 1358 (Packed in crate 1650 x 900 x 1500mm 260kg)	2.1 Kw 10A	\$10,050
	KT.SQRCD.20.SF*	2000 x 820 x 1358 (Packed in crate 1650 x 900 x 1500mm 260kg)	2.1 Kw 10A	\$11,310
	* Available to order; non stock item			


REFRIGERATED SANDWICH PREPARATION BENCHES - SQUARE GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
REFRIGERATED SANDWICH PREPARATION BENCHES - SQUARE GLASS				
 <ul style="list-style-type: none"> □ Designed for the refrigerated holding and display of sandwich fillings or for pizza and noodle ingredients □ Refrigerated GN 1/3 size service well with cold air blowing above and below pans □ Includes undercounter refrigerated storage □ Rated to operate at ambient temperatures up to 32°C □ Adjustable electronic thermostat with digital display, for temperatures between 2°C & 5°C for products requiring different holding temperatures □ Unique full-length back mounted evaporator coil □ Supplied with sliding glass doors to rear □ Self contained refrigeration system using R-404a refrigerant, slides out for easy servicing from rear □ No drainage connection required □ Exterior made from 304 grade stainless steel. Under counter door frame and mullion are 430 grade stainless steel □ All interior surfaces are stainless steel □ Supplied with 100mm deep 1/3 gastronorm pans to suit and pan support bars □ Supplied on castors (2 lockable) for ease of cleaning (for plinth mounting details please contact your representative) □ Supplied with 2 plastic coated zinc-plated steel shelves per door □ Refrigeration unit ventilated from service side of unit □ Internal lighting to cold storage □ Designed to match Koldtech SQRCD profile □ Optional cutting board available (see page 14K) 	KT.SQSM.914 4 x GN1/3 pans	914 x 820 x 1358 (Packed in crate 950 x 890 x 1570mm 120kg)	0.57 Kw 10A	\$5,890
	KT.SQSM.1330 7 x GN1/3 pans	1330 x 820 x 1358 (Packed in crate 1380 x 890 x 1570mm 160kg)	0.57 Kw 10A	\$7,570
	KT.SQSM.1885 10 x GN1/3 pans	1885 x 820 x 1358 (Packed in crate 1960 x 890 x 1570mm 265kg)	0.68 Kw 10A	\$9,550
	KT.SQSM.2286 12 x GN1/3 pans	2286 x 820 x 1358 (Packed in crate 2310 x 890 x 1570mm 290kg)	0.68 Kw 10A	\$9,950

FRONT COUNTER & CORNER INFILL MODULES

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
FRONT COUNTER MODULES				
 <ul style="list-style-type: none"> □ Cash register or service counter to compliment the SQRCD range □ Includes reinforced service top and lower shelf for storage □ Stainless steel exterior panels finished in satin stainless steel □ Supplied on castors for ease of cleaning (for plinth mounting details please contact your representative) 	KT.SQFC.6	600 x 729 x 900 (Packed in crate 640 x 770 x 1100mm 46kg)		\$1,430
	KT.SQFC.9	900 x 729 x 900 (Packed in crate 940 x 770 x 1100mm 61kg)		\$1,620
	KT.SQFC.12	1200 x 729 x 900 (Packed in crate 1240 x 770 x 1100mm 75kg)		\$1,810
	KT.SQFC.15	1500 x 729 x 900 (Packed in crate 1540 x 770 x 1100mm 87kg)		\$1,980
	KT.SQFC.CNR	1030 x 520 x 900 (Packed in crate 1100 x 600 x 1100mm 46kg)		\$1,290
CORNER INFILL MODULES				
 <ul style="list-style-type: none"> □ Corner infill counter to compliment the SQRCD range □ Includes reinforced top □ Stainless steel exterior panels finished in satin stainless steel □ Includes fixing brackets 				

DROP-IN COUNTERTOP DISPLAY CABINETS - HOT & COLD

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
REFRIGERATED AND HEATED DROP-IN DISPLAYS				
 <p>REFRIGERATED DROP-IN DISPLAY</p> <ul style="list-style-type: none"> Refrigerated display cabinet designed for display of cakes, sandwiches and other ready-to-serve cold foods Rated to operate at ambient temperatures up to 32°C Double glazed heated front glass for condensation free display 8mm side glass panels Mat black powder coat finish to steel body Polyurethane insulated base (40mm) Digital thermometer with microprocessor control for one glance temperature monitoring Reliable centre-slung self-contained refrigeration designed for serviceability Forced air circulation allows complete internal distribution of cold air No condensate drain connections required as a result of built in condensate burn-off tray. Supplied with two adjustable wire shelves and solid lower shelf Adjustable electronic thermostat with digital display, for temperatures between 2°C & 5°C for products requiring different holding temperatures Uses environmentally friendly R-404a refrigerant <p>HEATED DROP-IN DISPLAY</p> <ul style="list-style-type: none"> Fan forced heated cabinet designed for the display of pre-heated pies, sausage rolls & similar products Double glazed front glass for excellent display & performance 8mm side glass panels Rear glass sliding doors with protective end frame Mat black powder coat finish to steel body 0°C-90°C thermostat operation with temperature gauge Supplied with two adjustable wire shelves and solid lower shelf 	KT.RCD.8.DI	800 x 600 x 1265 <i>(Packed in crate 920 x 730 x 1520mm 155kg)</i>	0.53 Kw 10A	\$5,120
	KT.RCD.12.DI*	1200 x 600 x 1265	0.53 Kw 10A	\$5,980
	KT.HCD.8.DI	800 x 600 x 815 <i>(Packed in crate 920 x 750 x 1020mm 102kg)</i>	1.09 Kw 10A	\$4,220
	KT.HCD.12.DI*	1200 x 600 x 1265	1.09 Kw 10A	\$4,650
	* Available to order; non stock item			

REFRIGERATED DISPLAY CABINETS - CURVED GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
CURVED GLASS REFRIGERATED DISPLAY CABINET				
 <ul style="list-style-type: none"> □ Refrigerated display cabinet designed for display of cakes, sandwiches and other ready-to-serve cold foods □ Adjustable electronic thermostat with digital display, for temperatures between 2°C & 5°C for products requiring different holding temperatures □ Rated to operate at ambient temperatures up to 32°C □ Glass is guaranteed to remain free of condensation at up to 70% relative humidity □ Double glazed curved front glass with warm blown air on the front face for exceptional display and minimal condensation □ Self contained refrigeration system using environmentally friendly R-404a refrigerant □ No drainage connection required □ Self closing double glazed sliding rear doors with one way mirror finish (KT.RCD.9 equipped with double glazed rear swinging doors) □ Steel frame for extra strength □ Insulated exterior panels finished in matt black □ All interior surfaces are bright polished stainless steel □ Glass top rear serving shelf □ Supplied on (78mm) castors for ease of cleaning (for plinth mounting details please contact your representative) □ Exterior cabinet trim finished with bright polished stainless steel □ 3 glass display shelves, each illuminated with high impact lighting. Top 2 shelves fully adjustable with ticket stripping to front □ Supplied in black as standard □ Refrigeration unit ventilates from lower rear side 	KT.RCD.9	900 x 760 x 1290 <i>(Packed in crate 1050 x 890 x 1500mm 200kg)</i>	0.50 Kw 10A	\$5,710
	KT.RCD.12	1200 x 760 x 1290 <i>(Packed in crate 1350 x 890 x 1500mm 280kg)</i>	0.60 Kw 10A	\$6,260
	KT.RCD.15	1500 x 760 x 1290 <i>(Packed in crate 1650 x 890 x 1500mm 300kg)</i>	1.10 Kw 10A	\$7,490
	KT.RCD.18	1800 x 760 x 1290 <i>(Packed in crate 1950 x 890 x 1500mm 350kg)</i>	1.52 Kw 10A	\$8,740
	KT.RCD.20	2000 x 760 x 1290 <i>(Packed in crate 2150 x 890 x 1500mm 400kg)</i>	1.52 Kw 10A	\$9,970

HEATED DISPLAY CABINETS - CURVED GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
<p>CURVED GLASS HEATED DISPLAY CABINET</p>  <ul style="list-style-type: none"> □ Heated cabinet designed for the display of pies, sausage rolls & similar products □ Adjustable thermostat between 30°C and 90°C with temperature display □ Fan forced heat circulation with humidity via concealed water well □ Double glazed sliding rear roller doors □ Single glazed glass curved front □ Steel frame for extra strength □ Insulated exterior panels finished in matt black □ All interior surfaces are bright polished 304 grade stainless steel □ Glass top rear serving shelf □ Supplied on (78mm) castors for ease of cleaning (for plinth mounting details please contact your representative) □ Exterior cabinet trim finished with bright polished stainless steel □ 3 display shelves, each illuminated with high impact lighting □ Top 2 wire shelves are fully adjustable and can be removed for cleaning □ Shelves are supplied with ticket stripping to front □ Supplied in black as standard 				
	KT.HCD.9	900 x 760 x 1290 (Packed in crate 1050 x 900 x 1500mm 200kg)	1.72 Kw 10A	\$4,690
	KT.HCD.12	1200 x 760 x 1290 (Packed in crate 1350 x 900 x 1500mm 228kg)	1.80 Kw 10A	\$4,860
	KT.HCD.15	1500 x 760 x 1290 (Packed in crate 1650 x 900 x 1500mm 260kg)	1.80 Kw 10A	\$5,840



AMBIENT DISPLAY CABINETS - CURVED GLASS

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
CURVED GLASS AMBIENT DISPLAY CABINET				
 <ul style="list-style-type: none"> □ Cabinet designed for the display of products at ambient temperatures □ Self closing double glazed sliding rear roller doors (KT.NRCD.9 equipped with double glazed rear swinging doors) □ Steel frame for extra strength □ Insulated exterior panels finished in matt black □ All interior surfaces are bright polished 304 grade stainless steel □ Glass top rear serving shelf □ Supplied on (78mm) castors for ease of cleaning (for plinth mounting details please contact your representative) □ Exterior cabinet trim finished with bright polished stainless steel □ 3 display shelves, each illuminated with high impact lighting □ Top 2 wire shelves are fully adjustable and can be removed for cleaning 	KT.NRCD.9	900 x 760 x 1290 <i>(Packed in crate 1050 x 900 x 1550mm 200kg)</i>	0.50 Kw 10A	\$4,170
	KT.NRCD.12	1200 x 760 x 1290 <i>(Packed in crate 1350 x 900 x 1550mm 230kg)</i>	0.50 Kw 10A	\$4,400
	KT.NRCD.15	1500 x 760 x 1290 <i>(Packed in crate 1650 x 900 x 1550mm 260kg)</i>	0.50 Kw 10A	\$5,590
	KT.NRCD.18*	1800 x 760 x 1290 <i>(Packed in crate 1950 x 890 x 1500mm 330kg)</i>	0.50 Kw 10A	\$6,470
	KT.NRCD.20*	2000 x 760 x 1290 <i>(Packed in crate 2150 x 890 x 1500mm 380kg)</i>	0.50 Kw 10A	\$7,390
	* Available to order; non stock item			

REFRIGERATED PIZZA PREPARATION BENCHES

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
REFRIGERATED PIZZA PREPARATION BENCHES  <ul style="list-style-type: none"> □ Angled GN 1/3 sized container well with blown cold air over and under ingredient pans □ Insulated tilting stainless steel night lids - fully removable □ Stainless steel pizza preparation deck (290mm deep at 880mm height) □ Undercounter storage refrigerator with two plastic coated wire shelves per door and internal lighting □ Unique full-length back mounted evaporator coil □ Rated to operate at ambient temperatures up to 35°C □ Adjustable micro-processor control with digital temperature display □ Self contained refrigeration system using R-404a refrigerant, slides out for easy servicing from back - no drainage connection required □ Exterior and interior made from 304 grade stainless steel. Door mullion is 430 grade stainless steel for magnetic door gasket □ Includes 100mm deep GN 1/3 pans & support bars □ Supplied on (125mm) castors (two lockable) for ease of cleaning (for plinth mounting details please contact your representative) □ Refrigeration unit ventilated from operator side □ Optional cutting board available (refer page 14K) 				
Make fridge - 914mm long (1 door - 2 fridge shelves)	KT.PM.914 4 x GN1/3 pans	914 x 820 x 1060 (Insulated packaging on skid 950 x 870 x 1200mm) 128kg)	0.57 Kw 10A	\$4,440
Make fridge - 1330mm long (2 door - 4 fridge shelves)	KT.PM.1330 7 x GN1/3 pans	1330 x 820 x 1060 (Insulated packaging on skid 1380 x 870 x 1200mm) 163kg)	0.57 Kw 10A	\$5,750
Make fridge - 1885mm long (3 door - 6 fridge shelves)	KT.PM.1885 10 x GN1/3 pans	1885 x 820 x 1060 (Insulated packaging on skid 1960 x 870 x 1200mm) 198kg)	0.69 Kw 10A	\$7,730
Make fridge - 2286mm long (4 door - 8 fridge shelves)	KT.PM.2286 12 x GN1/3 pans	2286 x 820 x 1060 (Insulated packaging on skid 2310 x 870 x 1200mm) 247kg)	0.69 Kw 10A	\$9,490

ACCESSORIES FOR PIZZA MAKE BENCHES

Description	Model	Overall Unit Size (mm) WxDxH	kW/ Amp	RRP ex GST
POLYCARBONATE CUTTING BOARD				
<input type="checkbox"/> 20mm thick polycarbonate cutting board to suit Sandwich / Pizza make benches				
	To suit KT.PM.914 & KT.SQSM.914	KT.PM.CB.914	914 x 290 x 20	\$180
	To suit KT.PM.1330 & KT.SQSM.1330	KT.PM.CB.1330	1330 x 290 x 20	\$200
	To suit KT.PM.1885 & KT.SQSM.1885	KT.PM.CB.1885	1885 x 290 x 20	\$230
	To suit KT.PM.2286 & KT.SQSM.2286	KT.PM.CB.2286	2286 x 290 x 20	\$260
MODULAR PIZZA RACK AND TRAY				
<input type="checkbox"/> Stainless steel tray with wire rack				
	To suit KT.PM.914	KT.PM.PR.914	914 x 240 x 20	\$200
	To suit KT.PM.1330	KT.PM.PR.1330	1330 x 240 x 20	\$340
	To suit KT.PM.1885	KT.PM.PR.1885	1885 x 240 x 20	\$410
	To suit KT.PM.2286	KT.PM.PR.2286	2286 x 240 x 20	\$550
Extra shelves and gastronorm 1/3 size pans also available. Consult Woodson pricelist for details				
Retail Price List - September 08 Continuous improvement means specifications may vary				