

Electrolux

Kebab machines

ADVANTAGES

...The fastest machine.
From zero to first cut it is 12 min.

...Ergonomical construction. Covers user's needs.

...Absolute power control saves you energy.

...Years of experience turns out kebab to a money maker.

...Various models to meet any need..

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • •

Electric Kebab Knife

Electric stainless steel knife for easy and fast kebab cutting. Comes with switch on/off button and foot pump safety activation of knife.

Dimensions 110x220mm Knife: 110mm Ø 0,075 Kw Power:



3PE

(12.024.001)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 3 heat controlled zones, removable for easy cleaning. Also equipped with spit and holder, plug for electric knife and motor switch.(position ON/OFF).

3x230 VAC/50Hz Operating voltage: Power: 8400W

Dimensions: 545x600x950mm 760 €



4PE

(12.024.002)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 4 heat controlled zones, removable for easy cleaning. Also equipped with spit and holder, plug for electric knife and motor switch.(position ON/OFF).

Operating voltage: 3x230 VAC/50Hz Power: 12600W Dimensions: 500x615x1380mm

> www.electrolux.com.mk www.elektroluks.com.mk

+389 47 203 900 +389 2 329 8 130 made in macedonia 904€



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

ELECTRIC GYROS GRILLS

Electrolux

2PE-K

(12.024.003)

Electric gyros grill machine. Stainless steel construction with 1 motor, 2 main switches, spit, and holder, plug for electric knife.

Power consumption: 5250W
Operating voltage: 3X230VAC
Dimensions: 480x510x915mm
Capacity: 20-30 kgr
Motor: 2 rotation/min



624€

3PE-K

CANTEENS

(12.024.004)

Electric gyros grill machine. Stainless steel construction with 2 switches, spit and holder, plug for electric knife. Adjustable distance of meat to heating elements, 2 horizontal independently controlled zones, hinged elements for easy cleaning of the reflector. ensure the perfect function and cover the certification of hygiene.

Power consumption: 7000W

Dimensions: 480x510x1050mm

Operating voltage: 3X230VAC Capacity: 40kg

Motor: 2 rotation/min



725 €

4PE-K

(12.024.005)

Electric gyros grill machine. Stainless steel construction. With 3 motor switches. Spit and holder/plug for electric knife.

Power consumption: 10500W
Dimensions: 480x510x1185mm
Motor: 2 rotation/min
Capacity: 50-60kgr
Operating voltage: 3*230vac



891 €

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia

GAS GYROS GRILLS

4PG (NA)e

(12.124.016)

Gas grill with 4 burners (2 sections). Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input: 5,4 kW

Gas Consumption: Propan G31: 0,42kg/h

Natural gas G20: 0,57m3/h

Natural gas G25: 0,67m3/h

Capacity: 20 kg

Dimensions: 380X420X1150mm

DRIP DRAWER INCLUDED



2PG (NA)e

Gas grill with 2 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input: 2,7 kW Capacity: 10 kg

Dimensions: 380X420X950mm

DRIP DRAWER INCLUDED



526 €

3PG (NA)e

Gas grill with 3 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz Bottom placed. Adjustable spit distance.

Heat Input: 4,5 kW Capacity: 15 kg

Dimensions: 380X420X1050mm

www.electrolux.com.mk www.elektroluks.com.mk

DRIP DRAWER INCLUDED +389 47 203 900

+389 2 329 8 130 made in macedonia



415€

GAS GYROS GRILLS

Electrolux

3PG (N)

(12.124.008)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input: 8,1 kW

Gas Consumption: Propan G31: 0,62kg/h

Natural gas G20: 1,86m3/h Natural gas G25: 0,98m3/h

742 €

880€

Capacity: 20 kg

Dimensions: 550X500X735mm



to adjust the spit

4PG (N)

(12.124.006)

Gas grill with 4 burners. Equipped with Temperature control and thermocouples. Socket to plug in electric meat cutter.

Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input: 10,8 kW

Gas Consumption: Propan G31: 0,83kg/h Natural gas G20: 1,14m3/h

Natural gas G25: 1,33m3/h

Capacity: 35 kg

Dimensions: 550X500X880mm

SF SF

to adjust the spit

5PG (N)

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

(12.124.007)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input: 13,5 kW

Gas Consumption: Propan G31: 1,04kg/h
Natural gas G20: 1,42m3/h

Natural gas G25: 1,64m3/h

Capacity: 50 kg

Dimensions: 550X500X1025mm

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia



to adjust the spit

66

1003€

3PG (NA)

(12.124.010)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input: 8,1KW

Gas Consumption: Propan G31: 0,62kg/h

> Natural gas G20: 0,86m3/h

> Natural gas G25: 0,98m3/h

Capacity: 20 kg

Dimensions: 470X530X1110mm

670€

4PG (NA)

(12.124.009)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input: 10,8 kW

Gas Consumption: Propan G31: 0,83kg/h

Natural gas G20: 1,14m3/h Natural gas G25: 1,33m3/h

Capacity: 35 kg

Dimensions: 470X530X1150mm





5PG (NA)

(12.124.011)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter.

Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz upper placed. Adjustable spit distance.

Heat Input: 13,5 kW

Gas Consumption: Propan G31: 1,04kg/h Natural gas G20: 1,42m3/h

Natural gas G25: 1,64m3/h

Capacity: 50 kg

Dimensions: 470X530X1300mm



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • • •

924€

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130

GAS GYROS GRILLS

3PG-T

(12.124.015)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

Heat Input: 8,1kW

Gas Consumption:

Propan G31: 0,62kg/h Natural gas G20: 0.86m3/h 0,98m3/h

Natural gas G25:

30 kg Capacity: Dimensions: 470X530X890mm

1157€



4PG-T

(12.124.014)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

10,8kW Heat Input:

Gas Consumption:

0,83kg/h Propan G31: 1,14m3/h Natural gas G20: Natural gas G25: 1,33m3/h

Capacity: 40 kg

Dimensions: 470X530X1050mm 1302 €



5PG-T

(12.124.012)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter.

Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed.

Large oil collector. Easy for cleaning.

Heat Input: 13,5kW

Gas Consumption:

Propan G31: 1,04kg/h Natural gas G20: 1,42m3/h Natural gas G25: 1,64m3/h

Capacity: 50 kg

Dimensions: 470X530X1300mm

1449 €



HAVE A REMOVABLE UPPER BODY AS THE MACHINE SITS ON SLIDERS! YOU CAN MOVE IT TO FRONT AND BACK TO CHANGE THE DISTANCE FROM THE SPIT TO THE BURNER.

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia





CHICKEN GRILL MACHINE

KTE-15

(12.061.002)

Chicken grill machine electric with 3 rotation spits. Securit door glass. Each spit can be independently regulated. Inner lighting.

1.426 €

Following models are available Both in gas and electric

KTE 15: 15 chicken:

1.726 € KTE 20-20 chicken:

2.028 € KTE 25-25 chicken:

2.328 € KTE 30-30 chicken:

2.629 € KTE 35-35 chicken:

2.929 € KTE 40-40 chicken:

3.231 € KTE 45-45 chicke:

3.532 € KTE 50-50 chicken:

3.831 € KTE 55-55 chicken:

4.133 € KTE 60-60 chicken:

4.434 € KTE 65-65 chicken:

4.735 € KTE 70-70 chicken:

KTE-15



Capacity: Power consumption: Light:

Dimensions:

5 chicken / spit 6750W

30W

1100X420X1060mm

KTE-3

(12.061.001)

Table top chicken grill machine electric with 3 rotation spits. Front and back side of the appliance with securit glass. Each spit can be independently regulated. Inner lighting.

Capacity: Power consumption: Dimensions:

4 chicken / spit 1x2250W+2x1450W 900X750X600mm

KTE-3



1195€

WARM CHAMBER CLOSED

900X750X902mm Dimensions:



796 €

WARM CHAMBER GLASS

Dimensions: 900X750X902mm





869 €

Warm chamber for the chicken grill machine KTE closed with inox doors. Thermostat 30-90°C, ON/OFF switch. Stainless steel construction.

69

www.electrolux.com.mk www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130